

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 14/06/2019 Revision date: 14/06/2019 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : PINTY PLUS HOME RAINY GREY

Product code : 417 Vaporizer : Aerosol

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Use of the substance/mixture : Spraying paint (spray can)

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Novasol Spray, S.A.

P.I.: Empalme - C/ Empalme, 27 Llorenç del Penedès - Spain

T +34 977 677 305

novasol@novasolspray.com - www.novasolspray.com

### 1.4. Emergency telephone number

Emergency number : +34 977 677 305

Office hours: Monday-Friday 8:30 AM-6:00 PM GMT+1

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Causes serious eye irritation.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name  | Product identifier   | %           | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP]   |
|---|--|-------------|---|
| dimethyl ether (Aerosol propellants) substance with a Community workplace exposure limit (Note U) | (CAS-No.) 115-10-6<br>(EC-No.) 204-065-8<br>(EC Index-No.) 603-019-00-8<br>(REACH-no) 01-2119472128-37 | ≥ 50 - < 80 | Flam. Gas 1A, H220<br>Press. Gas  |
| propan-2-ol; isopropyl alcohol; isopropanol   | (CAS-No.) 67-63-0<br>(EC-No.) 200-661-7<br>(EC Index-No.) 603-117-00-0<br>(REACH-no) 01-2119457558-25  | ≥ 15 – < 20 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336   |
| Titaniumoxide substance with a Community workplace exposure limit                                 | (CAS-No.) 13463-67-7<br>(EC-No.) 236-675-5<br>(REACH-no) 01-2119489379-17                              | ≥ 5 – < 7   | Not classified  |
| Reaction mass of ethyl benzene and xylene   | (EC-No.) 905-588-0   | ≥ 0,1 - < 3 | Flam. Liq. 3, H226<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Inhalation), H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>Asp. Tox. 1, H304 |

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and

eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a

well-ventilated place. Keep cool.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| dimethyl ether (115-10-6)                            |            |  |
|--|------------|--|
| EU - Occupational Exposure Limits                    |            |  |
| Local name Dimethylether                             |            |  |
| IOELV TWA (mg/m³)                                    | 1920 mg/m³ |  |
| IOELV TWA (ppm) 1000 ppm                             |            |  |
| Regulatory reference COMMISSION DIRECTIVE 2000/39/EC |            |  |

| Titaniumoxide (13463-67-7)        |                       |  |
|-----------------------------------|-----------------------|--|
| EU - Occupational Exposure Limits |                       |  |
| Local name                        | Titanium dioxide      |  |
| Notes                             | (Ongoing)             |  |
| Regulatory reference              | SCOEL Recommendations |  |

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

Safety glasses.

#### Hand protection:

In case of repeated or prolonged contact wear gloves

### Eye protection:

eye protection (EN166)

#### Respiratory protection:

If vapour is released : Disposable half mask

#### Personal protective equipment symbol(s):





#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Grey.

Odour : No data available Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : -25 °C Aerosol jet Flash point : -41 °C Aerosol jet : No data available Auto-ignition temperature

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosive properties : Pressurised container: May burst if heated.

: No data available

Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

Decomposition temperature

 Not volatile
 : 17,5 wt%

 VOC content
 : 82,5 wt%

 VOC content
 : 620 g/l

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

| dimethy | vi ether | (115- | 10-6) |
|---------|----------|-------|-------|
|         |          |       |       |

LC50 inhalation rat (ppm) 164000 ppm Animal: rat, Animal sex: male, 95% CL: 142000 - 203000

| Titaniumoxide (13463-67-7)   |               |  |
|--|---------------|--|
| LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Gu 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870 (Acute Oral Toxicity) |               |  |
| LD50 oral  | > 10000 mg/kg |  |
| LD50 dermal  | > 10000 mg/kg |  |
| LC50 inhalation rat (mg/l)   | > 6,8 mg/l/4h |  |

#### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LD50 oral rat 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

# Reaction mass of ethyl benzene and xylene

LD50 dermal rabbit 12126 mg/kg bodyweight Animal: rabbit, Animal sex: male

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

#### **Titaniumoxide (13463-67-7)**

IARC group 2B - Possibly carcinogenic to humans

# propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

#### Reaction mass of ethyl benzene and xylene

LOAEL (oral, rat, 90 days)

150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408

(Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral

Toxicity)

Aspiration hazard : Not classified

# PINTY PLUS HOME RAINY GREY

Vaporizer Aerosol

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse Ecology - general

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

| dimethyl ether (115-10-6)   |  |  |
|---|--|--|
| LC50 96h fish (1) > 4,1 g/l Test organisms (species): Poecilia reticulata   |  |  |
| EC50 Daphnia 1 > 4,4 g/l Test organisms (species): Daphnia magna            |  |  |
| EC50 96h algae (1) 154,917 mg/l Test organisms (species): other:green algae |  |  |

| Titaniumoxide (13463-67-7)   |  |  |
|--|--|--|
| LC50 96h fish (1) 155 mg/l Test organisms (species): other:Japanese Medaka |  |  |
| EC50 Daphnia 1   | 19,3 mg/l Test organisms (species): Daphnia magna  |  |
| EC50 Daphnia 2   | 27,8 mg/l Test organisms (species): Daphnia magna  |  |
| EC50 72h algae (1)   | > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |  |
| NOEC (chronic)   | ≥ 2,92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |  |

| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)                      |  |  |
|--|--|--|
| LC50 96h fish (1) 10000 mg/l Test organisms (species): Pimephales promelas |  |  |
| LC50 fish 2 9640 mg/l Test organisms (species): Pimephales promelas        |  |  |

| Reaction mass of ethyl benzene and xylene   |  |
|---|--|
| LC50 96h fish (1)  2,6 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salr gairdneri) |  |
| EC50 Daphnia 1  | > 3,4 mg/l Test organisms (species): Ceriodaphnia dubia  |
| NOEC chronic fish   | > 1,3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '56 d' |

#### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                | IMDG   | IATA                               |  |
|------------------------------------|--|------------------------------------|--|
| 14.1. UN number                    |  |                                    |  |
| UN 1950                            | UN 1950  | UN 1950                            |  |
| 14.2. UN proper shipping           | g name   |                                    |  |
| AEROSOLS                           | AEROSOLS   | Aerosols, flammable                |  |
| Transport document descr           | iption   |                                    |  |
| UN 1950 AEROSOLS, 2.1,<br>(D)      | UN 1950 AEROSOLS, 2.1  | UN 1950 Aerosols, flammable, 2.1   |  |
| 14.3. Transport hazard o           | class(es)  |                                    |  |
| 2.1                                | 2.1  | 2.1                                |  |
| 2                                  | 2  | 2                                  |  |
| 14.4. Packing group                |  |                                    |  |
| Not applicable                     | Not applicable   | Not applicable                     |  |
| 14.5. Environmental haz            | ards   |                                    |  |
| Dangerous for the environment : No | Dangerous for the<br>environment : No<br>Marine pollutant : No | Dangerous for the environment : No |  |

# 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 82,5 wt%

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

| Indication of changes: |                                |          |          |
|------------------------|--------------------------------|----------|----------|
| Section                | Changed item                   | Change   | Comments |
|                        | Revision date                  | Added    |          |
|                        | Date of issue                  | Added    |          |
| 2.2                    | Precautionary statements (CLP) | Modified |          |
| 8.2                    | Personal protective equipment  | Added    |          |
| 8.2                    | Other information              | Added    |          |

| Classification according to Regulation (EC) No. 1272/2008 [CLP]: |      |
|--|------|
| Aerosol 1 H222;H229  |      |
| Eye Irrit. 2   | H319 |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Full text of H- and EUH-statements: |  |  |  |
|-------------------------------------|--|--|--|
| Acute Tox. 4 (Dermal)               | Acute toxicity (dermal), Category 4  |  |  |
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4  |  |  |
| Asp. Tox. 1                         | Aspiration hazard, Category 1  |  |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2  |  |  |
| Flam. Gas 1A                        | Flammable gases, Category 1A   |  |  |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |  |  |
| Flam. Liq. 3                        | Flammable liquids, Category 3  |  |  |
| Press. Gas                          | Gases under pressure   |  |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2  |  |  |
| STOT SE 3                           | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |  |  |
| STOT SE 3                           | Specific target organ toxicity — Single exposure, Category 3, Narcosis                     |  |  |
| H220                                | Extremely flammable gas.   |  |  |
| H222                                | Extremely flammable aerosol.   |  |  |
| H225                                | Highly flammable liquid and vapour.  |  |  |
| H226                                | Flammable liquid and vapour.   |  |  |
| H229                                | Pressurised container: May burst if heated.  |  |  |
| H304                                | May be fatal if swallowed and enters airways.  |  |  |
| H312                                | Harmful in contact with skin.  |  |  |
| H315                                | Causes skin irritation.  |  |  |
| H319                                | Causes serious eye irritation.   |  |  |
| H332                                | Harmful if inhaled.  |  |  |
| H335                                | May cause respiratory irritation.  |  |  |
| H336                                | May cause drowsiness or dizziness.   |  |  |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: |           |                       |  |
|---|-----------|-----------------------|--|
| Aerosol 1   | H222;H229 | On basis of test data |  |
| Eye Irrit. 2  | H319      | Calculation method    |  |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.